

### **Safety Data Sheet**

according to UK REACH Regulation

#### **LA 8 H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**LA 8 H1** 

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Lubricating agent

## 1.3. Details of the supplier of the safety data sheet

Company name: Chemie-Technik GmbH

**ELKALUB Hochleistungs-Schmierstoffe** 

Street: Robert-Bosch-Straße 19
Place: D-72189 Vöhringen
Telephone: +49(0)7454 9652-0
e-mail: info@elkalub.com

Contact person: Cornelia Hölle Telephone: -25

e-mail: cornelia.hoelle@elkalub.com

Internet: www.elkalub.com

**1.4. Emergency telephone** Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

number: National Health Service: 111 England/Wales (NHS Direct): 111 Scotland (NHS

24): 111

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

#### **GB CLP Regulation**

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



## **Safety Data Sheet**

according to UK REACH Regulation

#### **LA 8 H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 2 of 10

#### **Hazardous components**

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification (GB CLP Regulation)						
8042-47-5	White mineral oil (petroleum)						
	232-455-8	01-2119487078-27					
	Asp. Tox. 1; H304						
192268-65-8	reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives						
	421-820-9	607-501-00-9					
	Repr. 2, Aquatic Chronic 4; H361d H413						
68411-46-1	Benzenamine, N-phenyl-, reaction	products with 2,4,4-trimethylpentene		0.1 - < 1 %			
	270-128-1						
	Repr. 2, Aquatic Chronic 3; H361f H412						

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. I	pecific Conc. Limits, M-factors and ATE				
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.1 - < 1 %			
	dermal: LD50 =	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

#### After contact with skin

Take off contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing powder

Carbon dioxide (CO2)

Foam

#### Unsuitable extinguishing media

Water spray jet



### **Safety Data Sheet**

#### according to UK REACH Regulation

#### **LA 8 H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 3 of 10

Water

#### 5.2. Special hazards arising from the substance or mixture

Section 10

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Section 10: Stability and Reactivity

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

When using do not eat, drink or smoke.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Further information on handling

After contact with skin, wash immediately with plenty of water and soap.

Advices on general occupational hygiene

Wash contaminated clothing prior to re-use.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

## Further information on storage conditions

0 °C - 40 °C

### 7.3. Specific end use(s)

Lubricating agent



## **Safety Data Sheet**

according to UK REACH Regulation

#### **LA 8 H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 4 of 10

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene						
Worker DNEL, long-term dermal systemic 0,62 mg/k bw/day				0,62 mg/kg bw/day			
Consumer DNI	EL, long-term	oral	systemic	0,31 mg/kg bw/day			
Consumer DNI	EL, long-term	inhalation	systemic	1,09 mg/m³			
Consumer DNI	EL, long-term	dermal	systemic	0,31 mg/kg bw/day			

#### **PNEC values**

CAS No	Substance					
Environmental compartment Value						
68411-46-1	68411-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
Freshwater 0,0						
Marine water	0,0051 mg/l					
Freshwater se	Freshwater sediment 9					
Marine sedim	932 mg/kg					
Soil	1860 mg/kg					

## 8.2. Exposure controls



## Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.



### **Safety Data Sheet**

### according to UK REACH Regulation

#### **LA8H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 5 of 10

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: white

**Test method** 

Melting point/freezing point:

No data available

Boiling point or initial boiling point and No data available

boiling range:

No data available Flammability: No data available Lower explosion limits: No data available Upper explosion limits: > 125 °C Flash point: Auto-ignition temperature: No data available Decomposition temperature: No data available No data available pH-Value: Viscosity / kinematic: 2000-3000 mm<sup>2</sup>/s

(at 40 °C)

Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

No data available < 0,0001 hPa

(at 20 °C)

Density (at 25 °C): 0,92 g/cm³
Bulk density: No data available
Relative vapour density: not determined

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties Not oxidising.

#### Other safety characteristics

Evaporation rate: not determined
Solid content: not determined
Sublimation point: No data available
Softening point: No data available
Pour point: No data available

Viscosity / dynamic: 5100-6300 mPa·s DIN 51810

(at 25 °C)

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.



## **Safety Data Sheet**

### according to UK REACH Regulation

#### **LA8H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 6 of 10

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Oxidizing agent

#### 10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### ATEmix tested

Dose Species Source

LD50, oral > 2000 mg/kg LD50, dermal > 2000 mg/kg

CAS No	Chemical name								
	Exposure route	Dose	Species	Source	Method				
68411-46-1	Benzenamine, N-phenyl-,	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene							
	oral	LD50 > 5000 mg/kg	Rat						
	dermal	LD50 > 2000 mg/kg	Rat						

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## **SECTION 12: Ecological information**



## **Safety Data Sheet**

#### according to UK REACH Regulation

#### **LA8H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 7 of 10

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name								
	Aquatic toxicity Dose [h]   [d] Species Source Method								
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene								
	Acute crustacea toxicity EC50 10 mg/l 48 h Daphnia magna (Big water flea)								

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

No data available

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains.

Dispose of waste according to "Kreislaufwirtschaftsgesetz (KrWG)".

Dispose of waste according to applicable legislation.

The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented.

Consult the appropriate local waste disposal expert about waste disposal.

## List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

### List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.



## **Safety Data Sheet**

according to UK REACH Regulation

#### **LA8H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 8 of 10

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

Section 7: Handling and Storage

Section 8: Exposure Controls/Personal Protection

### 14.7. Maritime transport in bulk according to IMO instruments

No information available.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 15.



## **Safety Data Sheet**

### according to UK REACH Regulation

#### **LA8H1**

Revision date: 05.04.2023 Product code: O0LA8H1X Page 9 of 10

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.
H361d Suspected of damaging the unborn child.

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

EUH210 Safety data sheet available on request.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



# **Safety Data Sheet**

## according to UK REACH Regulation

**LA 8 H1** 

Revision date: 05.04.2023 Product code: O0LA8H1X Page 10 of 10

### **Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Lubricating agent	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

SU: Sectors of use

PROC: Process categories

AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)