

according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GLS 966/N2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

1.3. Details of the supplier of the safety data sheet

Company name: Chemie-Technik GmbH

ELKALUB Hochleistungs-Schmierstoffe

Street: Robert-Bosch-Straße 19
Place: D-72189 Vöhringen
Telephone: +49(0)7454 9652-0
e-mail: info@elkalub.com

Contact person: Cornelia Hölle Telephone: -25

e-mail: cornelia.hoelle@elkalub.com

Internet: www.elkalub.com

1.4. Emergency telephone Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

number: National Health Service: 111 England/Wales (NHS Direct): 111 Scotland (NHS

24): 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
126019-82-7	O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate					
	406-940-1	015-171-00-7	01-0000015643-71			
	Aquatic Chronic 2; H411					
68411-46-1	Benzenamine, N-phenyl-, reaction p	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene				
	270-128-1					
	Repr. 2, Aquatic Chronic 3; H361f H412					

Full text of H and EUH statements: see section 16.

Print date: 28.04.2023



Safety Data Sheet

according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 2 of 8

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
126019-82-7	406-940-1	O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate	1 - < 3 %	
	dermal: LD50 =	lermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg		
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.1 - < 1 %	
	dermal: LD50 =	> 2000 mg/kg; oral: LD50 = > 5000 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

After contact with skin

Take off contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing powder

Carbon dioxide (CO2)

Foam

Unsuitable extinguishing media

Water spray jet

Water

5.2. Special hazards arising from the substance or mixture

Section 10

Thermal decomposition can lead to the escape of irritating gases and vapours. Hazardous decomposition products: Carbonyl difluoride, Hydrogen fluoride

Decomposition temperature 260

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 3 of 8

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Clean contaminated articles and floor according to the environmental legislation.

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Section 10: Stability and Reactivity

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink or smoke.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

After contact with skin, wash immediately with plenty of water and soap.

Advices on general occupational hygiene

Wash contaminated clothing prior to re-use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Combustible solids that cannot be assigned to any of the above storage classes

Further information on storage conditions

0 °C - 40 °C

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL



according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 4 of 8

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trime	ethylpentene			
Worker DNEL,	long-term	dermal	systemic	0,62 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,31 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	1,09 mg/m³	
Consumer DNE	EL, long-term	dermal	systemic	0,31 mg/kg bw/day	

PNEC values

CAS No	Substance			
Environmental	Environmental compartment			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			
Freshwater 0,				
Marine water		0,0051 mg/l		
Freshwater sediment 9		9320 mg/kg		
Marine sediment		932 mg/kg		
Soil 1		1860 mg/kg		

8.2. Exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: pink-white

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available No data available Auto-ignition temperature: Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: No data available Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

< 0,0001 hPa

(at 20 °C)

Density (at 25 °C): 0,91 g/cm³

Bulk density: No data available

Relative vapour density: No data available



according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 5 of 8

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available
No data available
No data available

Viscosity / dynamic: 3100-4800 mPa·s DIN 51810

(at 25 °C)

Flow time: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

The product is chemically stable under recommended conditions of storage, use and temperature.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Alkali metals, Lewis-acid > 100 °C, Powdered metals (Al, Mg) > 180 °C

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide, Hydrogen fluoride, Carbonyl difluoride

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix tested

Dose Species Source

LD50, oral > 2000 mg/kg LD50, dermal > 2000 mg/kg



according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 6 of 8

Acute toxicity

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
126019-82-7	O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate						
	oral	LD50 >2000 mg/kg	Rat				
	dermal	LD50 >2000 mg/kg	Rat				
68411-46-1	Benzenamine, N-phenyl-,	reaction products with 2	2,4,4-trimethylpentene				
	oral	LD50 > 5000 mg/kg	Rat				
	dermal	LD50 > 2000 mg/kg	Rat				

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
126019-82-7	O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate						
	Acute fish toxicity	LC50 mg/l	> 25	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h			
	Acute bacteria toxicity	(EC50 mg/l)	> 100	3 h	Activated sludge		
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene						
	Acute crustacea toxicity	EC50	10 mg/l		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

No data available

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	-		-			
126019-82-7	O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate						
	OECD 301B	2-4 %	28				
	According to experiences this product is inert and not degradable. Poorly biodegradable.						

12.3. Bioaccumulative potential

No data available

Print date: 28.04.2023



Safety Data Sheet

according to UK REACH Regulation

GLS 966/N2 Revision date: 10.02.2023 Product code: G0009662 Page 7 of 8

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
126019-82-7	O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate	20

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No data available

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Dispose of waste according to "Kreislaufwirtschaftsgesetz (KrWG)".

Dispose of waste according to applicable legislation.

The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented.

Consult the appropriate local waste disposal expert about waste disposal.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

Print date: 28.04.2023



Safety Data Sheet

according to UK REACH Regulation

GLS 966/N2

Revision date: 10.02.2023 Product code: G0009662 Page 8 of 8

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

Section 7: Handling and Storage

Section 8: Exposure Controls/Personal Protection

14.7. Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 15.

Relevant H and EUH statements (number and full text)

H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH210 Safety data sheet available on request.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)